

QINGDAO JADE NEW MATERIAL TECHNOLOGY CO.,L/TD

青岛杰得佳新材料科技有限公司


POLYMER ADDITIVES

JADEWIN LS 119

CHEMICAL COMPONENT

COMPONENT	1,3,5-Triazine-2,4,6-triamine,N,N-1,2-ethanediylbisN-3-4,6-bisbutyl(1,2,2,6,6-pen tamethyl-4-piperidinyl)amino-1,3,5-triazin-2-ylaminopropyl-N,N-dibutyl-N,N-bis(
	1,2,2,6,6-pentamethyl-4-piperidinyl)	
CAS	106990-43-6	
Molecular	C132H250N32	
M.W	2286	

 $\mathsf{R}-\mathsf{NH}-(\mathsf{CH}_2)_3-\mathsf{NR}-(\mathsf{CH}_2)_2-\mathsf{NR}-(\mathsf{CH}_2)_3-\mathsf{NH}-\mathsf{R}$



SPECIFICATION AND PHYSICAL PROPERTIES

TEST APPEARANCE MELTING POINT VOLATILES ASH CLARITY TRANSMITTANCE	UNIT ℃ % %	SPECIFICATION WHITE TO LIGHT YELLOW CRYSTAL SOLID 115-150 1.00MAX 0.10MAX CLEAR
425nm	%	90.00MIN
450nm	%	93.00MIN
500nm	%	95.00MIN



QINGDAO JADE NEW MATERIAL TECHNOLOGY CO.,LTD

青岛杰得佳新材料科技有限公司

FEATURE AND APPLICATION

* JADEWIN LS119 is a high molecular weight hindered amine light stabilizer (HALS) which is effective in a broad range of polymers and applications, including polyolefins (PE, PP), TPO, styrenic polymers (ABS, ASA), polyamide fibers, polyure thanes, and elastomers.

*The advantages of the product render it particularly useful in PE-based agricultural films, PP fibers, and talc-filled PP and TPO automotive parts. It is also useful in powder coatings where it contributes to the triboelectric effect as well as providing light stability.

*JADEWIN LS119 shows a performance synergy with other light stabilizers, including low molecular weight HALS (e.g. JADEWIN LS770, JADEWIN UV3853), high molecular weight HALS (especially JADEWIN LS622), benzoates, and UV absorbers

* For additional information please consult the Material safety Data Sheet

Features:

-Tertiary HALS having reduced interaction with agricultural chemicals, fillers, pigments, and other additives as compared to conventional HALS

-Provides outstanding thermal oxidative stability as well as light stability in polyolefins, especially in talc-filled PP and TPO

-Non-discoloring, low volatility and excellent resistance to migration

PACKING

25KG BAG, 500KG /Pallet, 50KG CARTON

STORAGE

Keep container tightly closed and dry and storage in cool place

CHEMICAL INVENTORIES

Australia - AICS Canada - DSL EU - EINECS China - IECSC Japan - ENCS New Zealand - NZIOC Korea - ECL USA - TSCA Philippines - PICCS