



■ POLYMER ADDITIVES

JADEWIN UV 531DW

SPECIFICATION AND PHYSICAL PROPERTIES

TEST	UNIT	SPECIFICATION
APPEARANCE		WHITE EMULSION
ODORS		ODORLESS
AVERAGE GRAIN SIZE	NM	600
SOLID COMPONENT	%	>40
PH		7-10

FEATURE AND APPLICATION

- * JADEWIN 531DW is a high molecular weight hindered amine as the active ingredient, an antioxidant, a compound UV absorber, and a light stabilizer.
- * JADEWIN 531DW uses its own high-efficiency nano-scale emulsification technology and is suitable for waterborne coatings, waterborne emulsions, waterborne inks and other waterborne outdoor systems.
- * JADEWIN 531DW can solve the problem of light aging and heat aging, good solubility, can be evenly dispersed in water.
- * JADEWIN 531DW can be used in waterborne industrial paints, waterborne automotive interiors and polyurethane leather coatings, waterborne emulsions, waterborne polyurethane adhesives, etc. The recommended dosage is 1-3%.
- * For additional information please consult the Material safety Data Sheet.

PACKING

500Kg Plastic Bucket

STORAGE

Keep container tightly closed and dry and storage in cool place

CHEMICAL INVENTORIES

Australia - AICS
Canada - DSL
EU - EINECS
China - IECSC



JADEWIN

杰得盈

Japan - ENCS

Korea - ECL

USA - TSCA

Philippines - PICCS

QINGDAO JADE NEW MATERIAL
TECHNOLOGY CO.,LTD
青岛杰得佳新材料科技有限公司