


## ■ POLYMER ADDITIVES

### JADEWIN UV-612

### UV absorber

#### CHEMICAL COMPONENT

COMPONENT	3,5-bis(1,1-dimethylethyl)-4-hydroxy benzoic acid
CAS	1421-49-4
Molecular	C <sub>15</sub> H <sub>22</sub> O <sub>3</sub>
M.W	250.33



#### SPECIFICATION AND PHYSICAL PROPERTIES

TEST	UNIT	SPECIFICATION
APPEARANCE		White powder
Melting point		206-209 ° C
Content		≥99.0%
Volatile content		≤0.5%
Ash content		≤0.1%

#### FEATURE AND APPLICATION

JADEWIN UV-612 For pressure sensitive recording paper, UV absorber. Used for negatively charged electrostatic copiers toner charge regulator, for pressure sensitive copy paper and thermal paper, as information materials.

#### PACKING

25Kg Carton Box, 50Kg Fiber Drum, 500Kg Bag.





QINGDAO JADE NEW MATERIAL  
TECHNOLOGY CO.,LTD  
青岛杰得佳新材料科技有限公司

## STORAGE

Keep container tightly closed and dry and storage in cool place

## CHEMICAL INVENTORIES

Australia AICS  
Canada DSL  
China IECSC  
Europe EINECS  
Japan ENCS / ISHL  
Korea ECL  
New Zealand TSA  
Philippines PICCS  
Switzerland BUWAL  
USA TSCA